



Cheat Sheet [TAGS]

New [tags added in HTML5]

<article>	self-contained composition that is independently distributable
<aside>	section of page that consists of content tangentially related to content around it
<audio>	sound content
<bdi>	span of text to be isolated from surroundings for bidirectional formatting purposes
<canvas>	area that can be used to draw graphics via JavaScript
<command>	user invokable command
<datalist>	dropdown list
<datatemplate>	data template

<details>	details of an element
<embed>	embedded content
<figcaption>	caption of figure element
<figure>	group of media content
<footer>	footer for section or page
<header>	header for section or page
<hgroup>	group of headings for section
<keygen>	generated key in a form
<mark>	marked text
<meter>	measurement in defined range
<nav>	navigation links

<output>	represents results of calculation
<progress>	progress of any kind of task
<rp>	parenthesized ruby text
<rt>	ruby text
<ruby>	ruby annotations
<section>	section in a document
<source>	media resources
<summary>	header of a detail element
<time>	date/time
<video>	video
<wbr>	possible line break

Old [unsupported tags]

<acronym>	acronym
<applet>	applet
<basefont>	base font
<bgsound>	background sound
<big>	big text
<center>	centered text
<fn>	footnotes
	text font, size, and color
<frame>	sub window
<frameset>	set of frames

<isindex>	provides searchable index related to current document
<dir>	directory list
<noembed>	no embed section
<noframes>	no frame section
<s>	strikethrough text
<strike>	strikethrough text
<tt>	teletype text
<u>	underlined text
<xmp>	preformatted text

Existing [tags in HTML4 & 5]

<!---->	comment
<!doctype>	document type
<a>	hyperlink
<abbr>	abbreviation
<address>	address element
<area>	image map area
	bold text
<base>	base URL for all links in page relative to document root
<bdo>	text direction
<blockquote>	long quotation
<body>	body element
 	single line break
<button>	push button
<caption>	table caption
<cite>	citation

<code>	code text
<col>	attributes for columns
<colgroup>	groups of columns
<dd>	definition description
	deleted text
<div>	generic block-level element
<dfn>	defining instance of a term
<dl>	definition list
<dt>	definition term
	emphasized text
<fieldset>	logically group items in a form
<form>	defines a form
<h1> to <h6>	header 1 to header 6
<head>	document information
<hr>	horizontal rule

<html>	html document
<i>	italic text
<iframe>	inline sub window
	image
<input>	input field
<ins>	inserted text
<kbd>	keyboard text
<label>	label for a form control
<legend>	title in a fieldset
	list item
<link>	resource reference
<map>	image map
<menu>	menu list
<meta>	meta information
<noscript>	no script section

<object>	embedded object
	ordered list
<optgroup>	option group
<option>	option in a drop-down list
<p>	paragraph
<param>	parameter for an object
<pre>	preformatted object
<q>	short quotation
<samp>	sample computer code
<script>	script
<select>	selectable list
<small>	small text
	inline generic container
	strong text
<style>	style definition

<sub>	subscripted text
<sup>	superscripted text
<table>	table
<tbody>	table body
<td>	table cell
<textarea>	text area
<tfoot>	table footer
<th>	table header
<thead>	wraps row containing table headers
<title>	document title
<tr>	table row
	unordered list
<var>	variable



Cheat Sheet [EVENT HANDLER CONTENT ATTRIBUTES]

New [attributes added in HTML5]

onbeforeunload	before unload event
oncanplay	media can start play
oncanplaythrough	media can be played to end
oncontextmenu	context menu is triggered
ondrag	element is dragged
ondragend	at the end of drag operation
ondragenter	element dragged on drop target
ondragleave	element leaves valid drop target
ondragover	element is dragged over drop target
ondragstart	at the start of drag operation

ondrop	dragged element is being dropped
ondurationchange	length of media is changed
onemptied	media resource element becomes empty
onended	media has reached end
onerror	error occurs
onformchange	form changes
onforminput	form gets user input
onhaschange	document has changed
oninput	message is triggered
oninvalid	element gets user input

onloadeddata	media data is loaded
onloadedmetadata	duration of media element is loaded
onloadstart	browser starts to load media data
onmessage	element is invalid
onmousewheel	mouse wheel is being rotated
onpause	media data is paused
onplay	media data is going to start playing
onplaying	media data has started playing
onprogress	browser is fetching media data
onratechange	media data's playing rate has changed

onscroll	element's scrollbar is being scrolled
onseeked	element's seeking attribute is not true
onseeking	element's seeking attribute is true
onstalled	there is error in fetching media data
onstorage	document loads
onsuspend	browser has stopped fetching media data
ontimeupdate	media changes its playing position
onvolumechange	media changes volume, also when mute
onwaiting	media has stopped playing

Existing [attributes in HTML4 & 5]

onabort	abort event
onbeforeunload	before unload event
onclick	mouse clicked event
ondblclick	mouse double-clicked event
ongesturechange	gesture change event
ongestureend	end of gesture event
ongesturestart	start of gesture event
onkeydown	key pressed down event

onkeypress	key pressed event
onkeyup	key released event
onmousedown	mouse button pressed down event
onmousemove	mouse moved event
onmouseout	mouse cursor exited event
onmouseover	mouse cursor entered event
onmouseup	mouse button released event
onmove	move event

onorientationchange	device orientation changed event
onpaste	paste event
onresize	resize event
ontouchcancel	touch canceled event
ontouchend	touch ended event
ontouchmove	touch move event
ontouchstart	touch started event

Old [unsupported attributes]

onreset	form is reset
---------	---------------



Cheat Sheet [BROWSER SUPPORT]

● supported ● partially supported ● no support



Brought to you by:

inmotion
hosting